

Technický list produktu (datasheet): BK0852032F

Plastový rám s dveřmi pro domovní rozvodnici 3ř.

for wall boxes 3-row BK0850032A (solid wall) and BK0850532A (partition wall), insert and screw terminals included, ABS, halogen free, protection class II, frame color RAL 9003



SCHRACK-Info

- 1- to 4-row frames with transparent plastic door
- Series BK085
- DIN-rails and module cover included
- For completion, one wall box is necessary:
 - 1- to 4-row for solid wall or partition wall
- Material Frame + Door: 1mm ABS
- Protection class: II
- Degree of protection: IP40
- Impact resistance: IK07
- Frame: RAL 9003 (Signal white)
- Door: Transparent




Technické informace

Technické informace - Pokračování

Šířka (netto) (mm)	346,00
Výška (netto) (mm)	592,00
Hloubka (netto) (mm)	36,00
Hmotnost (netto) (kg)	2,00
EAN	9004840890068
Ztrátový výkon (W)	-44,00
Minimální teplota okolí (°C)	-25
Maximální teplota okolí (°C)	60
Bezhalogenový	Ano
Stupeň ochrany krytí	IP40
Třída ochrany	2
Rázová odolnost	IK07

Dimensions Frame with Plastic Door Transparent



POPIS	OBJ. ČÍSLO
Plastový rám s dveřmi pro domovní rozvodnici 3ř. for wall boxes 3-row BK0850032A (solid wall) and BK0850532A (partition wall), insert and screw terminals included, ABS, halogen free, protection class II, frame color RAL 9003	BK0852032F