

Technický list produktu (datasheet): HSELS12SCP

19" FO vana pro předkon. trasy 12xOM5 1U CLASSIC

RAL 7035, uzavřená, výsuvné čelo



SCHRACK-Info

These spliceboxes are delivered assembled with already installed couplers and enclosed pigtails (all connectors come with ceramic ferrule).

The spliceboxes are depth-adjustable using the two 19" brackets.

The spliceboxes have one, two or four splice trays depending on the number of fibres with integral splice organisers for shrink-on splice protectors and is designed for up to 4 cable entries, equipped with one M20 cable entry by default.

Blind covers are used to close off unused cable entry ports.

Two versions for up to 48 fibres in a sliding tray design are available:

- with 24 LC-Duplex couplers
- with 24 SC-Duplex couplers
- Material: zinc-coated steel
- Installation: 19", 1U
- Dimensions W x H x D: 483 x 44 x 240mm
- Housing color: RAL7035 Light grey
- Color of couplers (LC and SC): Lime-green
- Dustcovers (LC and SC): Included

Technické informace

Šířka (netto) (mm)

480,00

Technické informace - Pokračování

Výška (netto) (mm)	44,00
Hloubka (netto) (mm)	242,00
Hmotnost (netto) (kg)	2,53
Vlákno	50/125 μ OM5 multimode
Barva	RAL 7035 (světle šedá)
Vložný útlum (IL) - typický (dB)	< 0,2
Úlum odrazu (RL) - typický (dB)	> 35
Minimální teplota okolí (°C)	-10
Maximální teplota okolí (°C)	70
Počet vláken	12

Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
19" FO vana pro předkon. trasy 12xOM5 1U CLASSIC RAL 7035, uzavřená, výsuvné čelo	HSELS12SCP
Volitelné příslušenství	
Ochrana sváru 60mm, balení 10 ks	HELSP00011
Ochrana sváru 40mm, balení 10ks	HELSP00010
Čistící nástroj pro optické vlákna SC, ST, FC a E2000 Vhodné pro konektory UPC a APC. Více než 1 000 čisticích cyklů.	HSELSZT002
Měřič výkonu FO s integr. laserovým zdrojem světla (VFL) Možnost testování měděného kabelu s konektorem RJ45. POZOR: Jedná se o produkt laserové třídy 2. Nedívejte se přímo do paprsku. Pokud zařízení nepoužíváte, vždy nechte kryt portu VFL nasazený. Při práci s optickými systémy se doporučuje používat ochranné brýle proti laserovému záření.	HSELSZT003