

Technický list produktu (datasheet): LID13785--

Marra LED Strip 14,4W/m 4000K 1030lm/m, 24V, dimmbar, IP68

LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES



Produktové informace

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technické informace

Barva světla	Neutrální bílá
Teplota barvy (K)	4000
Index podání barev	≥90
Stmívatelné	Ano V závislosti na předřadníku
Třída ochrany	III
Stupeň ochrany krytí	IP68
TEÚ	F
Energetická třída	F
Druh svítidla	LED pásy
Světelný zdroj součástí	ano
Patice	LED Platine

Technické informace - Pokračování

Účinnost (lm/W)	81
Ovládací zařízení	Nutno objednat zvlášť
Jmenovité provozní napětí VDC (V)	24
Vstupní napětí DC (V)	24
Instalace	stropní přisazené podlahové přisazené nástěnné
Materiál	silikon
Délka (mm)	5000
Šířka (mm)	10
Volitelné příslušenství	LID16631--
Světelný tok / m (lm/m)	1170

Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
Marra LED Strip 14,4W/m 4000K 1030lm/m, 24V, dimmbar, IP68	LID13785
LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES	
Volitelné příslušenství	
Montážní držák pro LID16609	LID16631
08 STRIPS & PROFILES	