

Technický list produktu (datasheet): LID13987--

# Sutil Round LED vestavné 30W, 4K, 2100lm, 120°, IP40, bílá **ECONOMY**

complete with driver; 06 DOWNLIGHT FIX LED



## Produktové informace

30W slim downlight LED, IP40, ideal for commercial applications such as offices, galleries and showrooms. Supplied with 700mA non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.




## Technické informace

|                         |              |
|-------------------------|--------------|
| Lumenů (lm)             | 2100         |
| Barva světla            | Studená bílá |
| Teplota barvy (K)       | 4000         |
| Index podání barev      | ≥80          |
| Doba života             | 30.000h      |
| Stmívatelné             | Ne           |
| Třída ochrany           | II           |
| Stupeň ochrany krytí    | IP40         |
| Druh svítidla           | LED panel    |
| Světelný zdroj součástí | ano          |

## Technické informace - Pokračování

|                              |                                         |
|------------------------------|-----------------------------------------|
| Počet světelných zdrojů      | 1                                       |
| Patice                       | LED Platine                             |
| Úhel vyzařování (°)          | 120                                     |
| Účinnost (lm/W)              | 70                                      |
| Účinník                      | 0,9                                     |
| Výkon (W)                    | 30                                      |
| Ovládací zařízení            | LED napáječ                             |
| Pracovní napájecí napětí (V) | 220-240                                 |
| Frekvence (Hz)               | 50/60                                   |
| Instalace                    | Downlight                               |
| Výřez (mm)                   | Ø 285                                   |
| Montážní hloubka (mm)        | 50                                      |
| Barva                        | Bílá                                    |
| Materiál                     | Akrylát<br>Tlakově litý hliník<br>Plast |
| Výška (mm)                   | 22                                      |
| Průměr (mm)                  | 295                                     |
| Volitelné příslušenství      | LID 16598--                             |
| Ø x V (mm)                   | 295x22                                  |
| VÝŘEZ v mm                   | Ø 285                                   |

## Rozměrový výkres: Sutil Round LED vestavné 30W, 4K, 2100lm, 120°, IP40, bílá



## Tabulka objednacích čísel

| POPIS                                                                                                    | OBJ. ČÍSLO |
|----------------------------------------------------------------------------------------------------------|------------|
| Sutil Round LED vestavné 30W, 4K, 2100lm, 120°, IP40, bílá<br>complete with driver; 06 DOWNLIGHT FIX LED | LID13987   |
| <b>Volitelné příslušenství</b>                                                                           |            |
| LED driver 230V 8-50W 1500mA dimmable<br>IP20 230V; 23 DRIVERS                                           | LID16598   |