

Technický list produktu (datasheet): LID15489--

Marra LED Strip 24W/m, 2050lm/m, 3000K, 24VDC, IP20, 5m

Requires 24V DC driver; 08 STRIPS & PROFILES



Produktové informace

Slim Flexible LED light strip, with SMD2110 LEDs, 700LEDs/meter, 24W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 1 cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.


Technické informace

Barva světla	Teple bílá
Teplota barvy (K)	3000
Index podání barev	≥90
Stmívatelné	Ano V závislosti na předřadníku
Třída ochrany	III
Stupeň ochrany krytí	IP20
TEÚ	F
Energetická třída	F
Druh svítidla	LED pásky
Světelný zdroj součástí	ano
Patice	LED Platine

Technické informace - Pokračování

Účinnost (lm/W)	85
Ovládací zařízení	Nutno objednat zvlášť
Jmenovité provozní napětí VDC (V)	24
Vstupní napětí DC (V)	24
Instalace	stropní přisazené podlahové přisazené nástěnné
Volitelné příslušenství	LID16949--
Světelný tok / m (lm/m)	2050

Rozměrový výkres: Marra LED Strip 24W/m, 2050lm/m, 3000K, 24VDC, IP20, 5m



Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
Marra LED Strip 24W/m, 2050lm/m, 3000K, 24VDC, IP20, 5m Requires 24V DC driver; 08 STRIPS & PROFILES	LID15489
Volitelné příslušenství	
Dvojitá svorka 32A 3násobná 26 ACCES&GADGETS	LID16949