

Technický list produktu (datasheet): LID15495--

Onda X 8W, 600lm, 3000K, 230V, IP20, 25°, white

Wall and ceiling luminaire, Complete with driver, adjustable; 13 WALL & CEIL LED



Produktové informace

8W COB LED adjustable ceiling downlight, ideal for residential_x000D_ and commercial illumination._x000D_ Complete with non-dimmable LED driver._x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.


Technické informace

Lumenů (lm)	600
Barva světla	Teple bílá
Teplota barvy (K)	3000
Index podání barev	≥90
Stmívatelné	Ne
Třída ochrany	I
Stupeň ochrany krytí	IP20
Druh svítidla	Nástěnné svítidlo Stropní svítidlo
Světelný zdroj součástí	ano
Patice	LED Platine
Úhel vyzařování (°)	25
Účinnost (lm/W)	75

Technické informace - Pokračování

Účinník	0,5
Výkon (W)	8
Ovládací zařízení	LED napáječ
Pracovní napájecí napětí (V)	220-240
Vstupní napětí AC (V)	220-240
Provozní proud mA (mA)	700
Frekvence (Hz)	50/60
Instalace	stropní přisazené nástěnné
Barva	Bílá
Materiál	Hliník
Výška (mm)	40
Průměr (mm)	78
Volitelné příslušenství	LID 16949--
Ø x V (mm)	78x40

Rozměrový výkres: Onda X 8W, 600lm, 3000K, 230V, IP20, 25°, white



Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
Onda X 8W, 600lm, 3000K, 230V, IP20, 25°, white	LID15495
Wall and ceiling luminaire, Complete with driver, adjustable; 13 WALL & CEIL LED	
Volitelné příslušenství	
Dvojitá svorka 32A 3násobná	LID16949
26 ACCES&GADGETS	