

Technický list produktu (datasheet): LID15614--

Moon S LED 6W, 550lm, 3000K, 100-240V, IP65, black

Wall recessed luminaire, Outdoor, Complete with driver; 19 WALL REC & INGRND



Produktové informace

7W LED wall recessed light, IP65, ideal for both indoor_x000D_ and outdoor installation._x000D_ Complete 350mA driver._x000D_ Supplied with box for concrete installation_x000D_ Complies with standard EN60598-1 and any other specific_x000D_ standards.


Technické informace

Lumenů (lm)	550
Barva světla	Teple bílá
Teplota barvy (K)	3000
Index podání barev	≥80
Stmívatelné	Ne
Třída ochrany	I
Stupeň ochrany krytí	IP65
Odolnost proti nárazu	IK06
Druh svítidla	Vestavné svítidlo do stěny
Světelný zdroj součástí	ano
Patice	LED Platine
Účinnost (lm/W)	91

Technické informace - Pokračování

Účinník	0,5
Výkon (W)	7
Ovládací zařízení	LED napáječ
Pracovní napájecí napětí (V)	100-240
Vstupní napětí AC (V)	100-240
Provozní proud mA (mA)	350
Frekvence (Hz)	50/60
Instalace	Vestavné do stěny
Výřez (mm)	220x70
Montážní hloubka (mm)	80
Barva	Černá
Materiál	Tlakově litý hliník
Délka (mm)	225
Šířka (mm)	75
Výška (mm)	55
Volitelné příslušenství	LID 16949--
D x Š x V mm	225x75x55
VÝŘEZ v mm	220x70

Rozměrový výkres: Moon S LED 6W, 550lm, 3000K, 100-240V, IP65, black



Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
Moon S LED 6W, 550lm, 3000K, 100-240V, IP65, black	LID15614
Wall recessed luminaire, Outdoor, Complete with driver; 19 WALL REC & INGRND	
Volitelné příslušenství	
Dvojitá svorka 32A 3násobná	LID16949
26 ACCES&GADGETS	