

Technický list produktu (datasheet): LID16707--

Nico Flexible LED tile 10W 850lm 90 24 stmívatelné

08 STRIPS & PROFILES



Produktové informace

Flexible tile, 10W ideal for cover walls and columns. Supplied in 480mmx240mm pcs in white PCB and double adhesive tape for a better fixing. Complete with 2pcs power supply cable and 2pcs tile connectors. Connect max up to 10pcs with one driver. Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technické informace

Lumenů (lm)	850
Barva světla	Teple bílá
Teplota barvy (K)	3000
Index podání barev	≥90
Stmívatelné	Ano V závislosti na předřadníku
Třída ochrany	III
Stupeň ochrany krytí	IP20
Druh svítidla	LED pásky
Světelný zdroj součástí	ano
Patice	LED Platine
Účinnost (lm/W)	85

Technické informace - Pokračování

Výkon (W)	10
Ovládací zařízení	Nutno objednat zvlášť
Jmenovité provozní napětí VDC (V)	24
Vstupní napětí DC (V)	24
Instalace	stropní přisazené podlahové přisazené nástěnné
Délka (mm)	480
Šířka (mm)	240
Volitelné příslušenství	LID16949--
Světelný tok / m (lm/m)	850

Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
Nico Flexible LED tile 10W 850lm 90 24 stmívatelné 08 STRIPS & PROFILES	LID16707
Volitelné příslušenství	
Dvojitá svorka 32A 3násobná 26 ACCES&GADGETS	LID16949