

Technický list produktu (datasheet): WSI211409-

Gland plate for frame WSI211400 with 2x10-20, 2x20-30mm

gland plate dimensions W=68 D=68mm, RAL7035



SCHRACK-Info

- Interchangeable cable entry inserts for insertion into the WSI frames
- The cable entry inserts can be individually combined according to customer requirements
- Overview:
 - Gland plate inserts WSI13081x for frame WSI130800
 - Gland plate inserts WSI2114xx for frame WSI211400
- For gland plate completion see chapters:
 - Adapter gland plates
 - Frames for adapter gland plates
- Material: Glass fiber reinforced polypropylene
- Degree of protection: IP65
- PU: 1 piece with mounting material

IP66

Technické informace

Šířka (netto) (mm)	68,00
Výška (netto) (mm)	5,00


Technické informace - Pokračování

Hloubka (netto) (mm)	68,00
Hmotnost (netto) (kg)	0,20
Výška (mm)	5
Šířka (mm)	68
Hloubka (mm)	68
Stupeň ochrany krytí	IP65


Overview of Cable Entry Inserts




#1




#2




#1



#2



#3



[mm]

Tabulka objednacích čísel

POPIS	OBJ. ČÍSLO
Gland plate for frame WSI211400 with 2x10-20, 2x20-30mm gland plate dimensions W=68 D=68mm, RAL7035	WSI211409
Volitelné příslušenství	
Frame for adapter gland plates WSI21xxx for adapter gland plate types 3, 5, 6, 7, 8 and 9, RAL7035, IP65	WSI211400